

M80 - Q13 Touch - Touch Plus

PROFESSIONAL COFFEE GRINDERS

THE SHAPE OF THE COFFEE POWDER



Design and performance studies have been carried out of the entire range of coffee grinders and the innovative technology of capacitive touchscreen displays is applied to the electronic models.

The new Touch and Touch Plus line is the result of all the technological developments made to best meet the demands of the current market, in which the consumer is very attentive to the design and quality of coffee grinding.

The classic M80 and Q13 models are now approaching On Demand with the contemporary style typical of Quamar, in which dynamism and innovation make the design of professional coffee grinders chameleonic and timeless.

With the new displays, Quamar once again reaffirm its main ones values deeply rooted in the company's craftsmanship.

> The concept behind all Quamar coffee grinders is 🛑 the shape of the coffee powder 🛑

Quamar continues to push the boundaries and improve its products range.



Touch & Touch Plus models

- M80 TOUCH
 - M80 TOUCH PLUS
 - Q13 TOUCH
 - Q13 TOUCH PLUS



ouch display



Shape

Display support with the new Quamar style design

High tech

Display with touch keyboard and intuitive electronic interface

MAIN INNOVATIONS



Detail

Improvement of the classic rubberized filter holder fork

ouch lus display **TECHNOLOGICAL INNOVATION**

advanced technical settings

15:13

 (Ξ)

0

3.5" RGB color

wide menu extremely practical

Functionality

Screen control

capacitive touch screen display

User interface

datasheet

BURRS

VOLTAGE, POWER

SUGGESTED USE

DOSE SYSTEM

110-120V - 50/60Hz, 460W |

1.400/min (50Hz) - 1.600/min (60Hz) R.P.M

up to 3,5 kg

espresso, moka, filter, V60

aluminium body

GRINDING ADJUSTMENT

11 kg

MATERIAL

STANDARD HOPPER CAPACITY 1200 g

NET WEIGHT AND DIMENSIONS

SUGGESTED DAILY PRODUCTION

OPTIONAL

bean hopper 150 g, 250 g, 500 g, 1500 g


175 x 290 x 560h mm

COLOURS



TOUCH & TOUCH PLUS

M80



datasheet

BURRS

VOLTAGE, POWER

110-120V - 50/60Hz, 380W | 220-240V - 50/60Hz, 580W | 380-400V - 50/60Hz, 280W

1.400/min (50Hz) - 1.600/min (60Hz) R.P.M

up to 6 kg SUGGESTED DAILY PRODUCTION

SUGGESTED USE

DOSE SYSTEM

aluminium body

automatic or manual setting for single and double dose

GRINDING ADJUSTMENT

MATERIAL

15,5 kg

STANDARD HOPPER CAPACITY 1200 g

NET WEIGHT AND DIMENSIONS

OPTIONAL

200 x 320 x 640h mm

bean hopper 250 g, 500 g, 1500 g red speed burrs, titanium burrs

COLOURS



Q13 TOUCH & **TOUCH PLUS** flat type Ø 75 mm with food friendly processing

espresso, moka, filter, V60

stepless micrometric system











info@quamar.com



www.quamar.com





